





DEPARTMENT OF VETERANS AFFAIRS

WILLIAM S. MIDDLETON MEMORIAL VETERANS HOSPITAL 2500 OVERLOOK TERRACE MADISON, WISCONSIN 53705
BUILDING 1 - B WING GROUND FLOOR RENOVATIONS
VA PROJECT NUMBER 607-11-109
IDG PROJECT NUMBER 110501



VA Site Map



Vicinity Map

SHEET INDEX	
G100	COVER SHEET
G101	CODE, FIRE AND LIFE SAFETY/ABBREVIATIONS AND SYMBOLS
A100	FLOOR PLANS - DEMOLITION AND NOTES
A101	FLOOR PLANS - RENOVATION AND NOTES
A102	REFLECTED CEILING PLAN AND NOTES
A104	FLOOR PLANS - FURNITURE, FIXTURES AND EQUIPMENT
A201	INTERIOR ELEVATIONS
A401	LARGE SCALE PLANS/PLAN DETAILS
A501	DETAILS
A601	DOOR SCHEDULE AND NOTES (NOTE: SEE SPECIFICATIONS FOR FINISH SCHEDULE)
PG001	PLUMBING NOTES, SYMBOLS, ABBREVIATIONS AND SCHEDULE
PL100	"B" WING GROUND FLOOR - PLUMBING PLAN
PL101	"B" WING GROUND FLOOR - UNDER GROUND PLUMBING PLAN
PL102	"B" WING GROUND FLOOR - ABOVE GROUND PLUMBING PLAN
FP100	"B" WING GROUND FLOOR - FIRE PROTECTION PLAN
MG001	MECHANICAL NOTES, SYMBOLS, ABBREVIATIONS AND SCHEDULES
MG002	CONTROL SEQUENCE AND SCHEMATICS
MD100	"B" WING GROUND FLOOR - DUCTWORK DEMOLITION PLAN
MD101	"B" WING GROUND FLOOR - PIPING DEMOLITION PLAN
MH100	"B" WING GROUND FLOOR - DUCTWORK PLAN
MH101	"B" WING GROUND FLOOR - PIPING PLAN
MH300	MECHANICAL DETAILS
ES001	ELECTRICAL NOTES, SYMBOLS AND ABBREVIATIONS
ES002	ELECTRICAL PANEL SCHEDULES
ED100A	WEST LIGHTING DEMOLITION PLAN
ED100B	EAST LIGHTING DEMOLITION PLAN
ED101A	WEST POWER AND SYSTEMS DEMOLITION PLAN
ED101B	EAST POWER AND SYSTEMS DEMOLITION PLAN
EL100A	WEST ELECTRICAL LIGHTING PLAN
EL100B	EAST ELECTRICAL LIGHTING PLAN
EP100A	WEST ELECTRICAL POWER GROUND FLOOR PLAN
EP100B	EAST ELECTRICAL POWER GROUND FLOOR PLAN
E1100A	WEST ELECTRICAL GROUND FLOOR SYSTEMS PLAN
E1100B	EAST ELECTRICAL GROUND FLOOR SYSTEMS PLAN
EP300	ELECTRICAL DETAILS AND RISER DIAGRAM



Approved: Chief of Construction, FM

Approved: VA Project Engineer


Approved: Office Manager

Approved: Architect / Engineer

100% BID DOCUMENTS

		MEP ENGINEERS:		ARCHITECT:		Drawing Title Title Sheet General Notes		Project Title William S. Middleton Memorial Veterans Hospital Ground Floor Renovation		Project Number 607-11-109 Building Number 1		Office of Construction and Facilities Management  Department of Veterans Affairs	
		 18 W22395 JOHNSON DR, STE 180, WAUKESHA, WI 53186 p 262.641.0746 f 888.600.6207		13100 watertown plank road suite 200 elm grove, wi 53122 p 262.641.0746 f 888.600.6207		Approved: Project Director		Location Madison, WI		Drawing Number G100 01			
Revisions:		Date						Date September 1, 2011		Checked SAM		Drawn TDL	

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



ABBREVIATIONS:

ABV	ABOVE	EM	EMERGENCY	HPS	HIGH PRESSURE SODIUM	PLBG	PLUMBING CONTRACTOR
AFF	ABOVE FINISHED FLOOR	ENT	ELECTRICAL NON-METALLIC TUBING	HV	HIGH VOLTAGE	PNL	PANEL
AFG	ABOVE FINISHED GRADE	EMT	ELECTRIC METALLIC TUBING	HVAC	HEATING & VENTILATING - AIR CONDITIONING	R	RELAY
AIC	AVAILABLE INTERRUPTING CURRENT	EOL	END OF LINE RESISTOR	HVC	HEATING VENTILATING CONTRACTOR	RAI	REMAIN AS IS
AIE	ARCHITECT/ENGINEER	EP	EXPLOSION PROOF	HW	HEAVYWALL	RE/CKT	RECONNECT TO EXISTING CIRCUIT
ALT	ALTERNATE	ER	EXISTING TO BE REMOVED	ID	INDIRECT	REC	RECESS
ALT SW	ALTERNATOR SWITCH	ERL	EXISTING TO BE RELOCATED	IL	INTERLOCK	RECEPT	RECEPTACLE
ARCH	ARCHITECT	ERLD	EXISTING RELOCATED	IMC	INTERMEDIATE METAL CONDUIT	RM	ROOM
ATS	AUTOMATIC TRANSFER SWITCH	ETR	EXISTING TO REMAIN	INC	INCANDESCENT	RVS	REDUCED VOLTAGE STARTING
BFG	BELOW FINAL GRADE	EXIST	EXISTING	IU	IN UNIT	S	SPLINE
BLDG	BUILDING	EWC	ELECTRIC WATER COOLER	J-BOX	JUNCTION BOX	SEL SW	SELECTOR SWITCH
BPC	BOLTED PRESSURE CONTACT SWITCH	F	FLUSH	LG	LAY-IN GRID	SP SW	SPEED SWITCH
BKR	BREAKER	FAFP	FIRE ALARM ANNUNCIATOR PANEL	LTG	LIGHTING	SURF	SURFACE
BOL	BUILT IN OVERLOAD	FACP	FIRE ALARM CONTROL PANEL	LV	LOW VOLTAGE	SW	SWITCH
BUR	BUILT-UP ROOF	FBO	FURNISHED BY OTHERS	LVT	LINE VOLTAGE THERMOSTAT	TC	TIME CLOCK
CAV	CABLE TELEVISION	FDR	FEEDER	MAG	MAGNETIC STARTER	TCP	TEMPERATURE CONTROL PANEL
CCTV	CLOSED CIRCUIT TELEVISION	FIXT	FIXTURE	MAN	MANUAL STARTER	TCC	TEMPERATURE CONTROL CONTRACTOR
CB	CIRCUIT BREAKER	FLR	FLOOR	MCC	MOTOR CONTROL CENTER	TS	TAMPER SWITCH
CKT	CIRCUIT	FLA	FULL LOAD AMP'S	MOP	MAIN DISTRIBUTION PANEL	TYP	TYPICAL
CLG	CEILING	FS	FLUORESCENT	MLO	MAIN LUGS ONLY	UG	UNDERGROUND
CP	CONTROL PANEL	FVNR	FLOW SWITCH	MSB	MAIN SWITCHBOARD	UNIV	UNIVERSAL
CS	COMBINATION STARTER	GC	FULL VOLTAGE NON-REVERSING	MTD	MOUNTED	USS	UNIT SUBSTATION
CT	CURRENT TRANSFORMER	GRC	GENERAL CONTRACTOR	NIC	NOT IN CONTRACT	WP	WEATHERPROOF
DE	DUAL ELEMENT FUSES	GFI	GROUND FAULT INTERRUPTER	NU	NEAR UNIT	XFMR	TRANSFORMER
DIR	DIRECT	GRC	GALVANIZED RIGID CONDUIT	OU	ON UNIT		
DISC	DISCONNECT	GRD	GROUND	P	POLE		
DN	DOWN	GYP	GYPSON BOARD	PB	PUSHBUTTON		
EX	EXISTING	HID	HIGH INTENSITY DISCHARGE	PEND	PENDANT		
EC	ELECTRICAL CONTRACTOR	HOA	HAND-OFF-AUTO SWITCH	PC	PHOTO CONTROL		
ELEV	ELEVATION REFERENCE	HP	HORSEPOWER	PE SW	PNEUMATIC SWITCH		

ARCHITECTURAL SYMBOLS

	CENTER LINE		DETAIL INDICATOR FOR SMALL CONDITIONS
	ELEVATION INDICATOR		DIMENSION LINE
	CENTER LINE INDICATOR		DOOR OPENING/BORROWED LIGHT IDENTIFIER
	CONTRACT LIMIT LINE		DRAWING BLOCK TITLE, TYPICAL
	DEMOLITION LINE		ELEVATION INDICATOR, EXTERIOR
	EXISTING TO REMAIN LINE		ELEVATION INDICATOR, INTERIOR, MULTIPLE VIEW
	FEATURES ABOVE LINE INDICATOR		ELEVATION INDICATOR, INTERIOR, SINGLE VIEW
	FIRE RESISTIVE RATED LINE, 1 HOUR		BUILDING SECTION INDICATOR
	FIRE RESISTIVE RATED LINE, 2 HOUR		DETAIL INDICATOR
	FIRE RESISTIVE RATED LINE, 3 HOUR		FURNITURE, FIXTURE, & EQUIPMENT INDICATOR
	FIRE RESISTIVE RATED LINE, 4 HOUR		GRAPHIC SCALE, 1/8"=1'-0"
	FIRE-RATED, SMOKE BARRIER LINE, 1 HOUR		ROOM NAME AND NUMBER
	FIRE-RATED, SMOKE BARRIER LINE, 2 HOUR		COLUMN GRID
	FIRE-RATED, SMOKE BARRIER LINE, 3 HOUR		KEYNOTE
	FIRE-RATED, SMOKE BARRIER LINE, 4 HOUR		WALL OR PARTITION TYPE
	HIDDEN FEATURES LINE		FIRE EXTINGUISHER CABINET
	NEW LINE		CORNER GUARD
	PROPERTY LINE		NORTH ARROW
	SMOKE BARRIER LINE		V V ITEM - VA SUPPLIED & INSTALLED
	BREAK, ROUND (USER DEFINES SIZE)		VC ITEM - VA SUPPLIED & CONTRACTOR INSTALLED
	BREAK, STRAIGHT (SEE SECTION INDICATORS, BUILDING, WITH BREAK STANDARDS)		CC ITEM - CONTRACTOR SUPPLIED & INSTALLED
	DETAIL INDICATOR		
	DETAIL INDICATOR		

MATERIALS LEGEND

	CONCRETE		EXISTING CONSTRUCTION TO REMAIN		RIGID INSULATION
	EARTH		EXISTING CONSTRUCTION TO BE REMOVED		BATT INSULATION
	BASE COURSE		NEW CONSTRUCTION		

MEANS OF EGRESS LIMITS
APPLICABLE CODE: NFPA 101 LIFE SAFETY CODE 2009 EDITION
BUILDING IS FULLY SPRINKLERED

DEAD END CORRIDOR LIMIT: 50' (NFPA101 38.2.5.2.1)
COMMON PATH OF TRAVEL LIMIT: 100' (NFPA101 38.2.5.3.1)
TRAVEL DISTANCE TO EXIT LIMIT: 300' (NFPA101 38.2.6.3)

NOTE:
ALL RATED WALLS INDICATED ON THIS PLAN AND THROUGHOUT THESE CONSTRUCTION DOCUMENTS ARE EXISTING TO REMAIN. ALL COLUMNS AND BEAMS ARE PROTECTED/RATED CONSTRUCTION. CONTRACTOR MUST PROTECT THESE RATED CONDITIONS AND REPAIR AS REQUIRED IF DAMAGED DUE TO CONSTRUCTION TO RESTORE REQUIRED RATINGS/CONDITION AS IT WAS PRIOR TO RENOVATION. RATINGS MUST BE MAINTAINED DURING CONSTRUCTION.

CODE REVIEW				
NAME OF PROJECT:	WILLIAM S. MIDDLETON VAMC GROUND FLOOR RENOVATIONS			
ADDRESS:	2500 OVERLOOK TERRACE, MADISON, WI 53705-2254			
PROPOSED USE:	BUSINESS/HOSPITAL ADMINISTRATION OFFICE			
OWNER OR AUTHORIZED AGENT:	VETERANS ADMINISTRATION			
OWNED BY:	FEDERAL			
CODE ENFORCEMENT JURISDICTION:				
DESIGN RESPONSIBILITY				
DISCIPLINE	FIRM	NAME	LICENSE NUMBER	TELEPHONE
ARCHITECTURAL	NAGEL ARCHITECTS	GREG NAGEL	A-9635	262-641-0746
CIVIL				
STRUCTURAL				
RETAINING WALLS HIGHER THAN 5'				
PLUMBING	IBC ENGINEERING	TOM KING		262-549-1190
MECHANICAL	IBC ENGINEERING	TOM KING		262-549-1191
ELECTRICAL	IBC ENGINEERING	TOM KING		262-549-1192
SPRINKLER/STANDPIPE	IBC ENGINEERING	TOM KING		262-549-1193
OTHER				
BUILDING SUMMARY				
PRIMARY CONSTRUCTION TYPE:	II-A	PRIMARY OCCUPANCY:	I-2	
NUMBER OF STORIES		NUMBER OF STORIES ABOVE GRADE:	2 OR MORE	
BUILDING FULLY SPRINKLERED	YES	STANDPIPES	NO	CLASS III
Perimeter of building that fronts a public way or open space with 20' minimum width (F)=				F/P = 1.000
Overall perimeter of building (P)=				W/30 = 0
Width of public way or open space (max value of 30 feet), see 506.2.1 (W)=				I ₁ = 0.00

Minimum Plumbing Fixture Calculations per IBC												
	NO. OF PERSONS	PERCENT MALES	PERCENT FEMALES	NO. OF MALES	NO. OF FEMALES	MALE WC	MALE URINAL (up to)	MALE LAV	FEMALE WC	FEMALE LAV	DRINKING FOUNTAINS	SHOWERS/BATHTUBS
B	Buildings for the transaction of business, professional services, other services involving merchandise, office buildings, banks, light industrial and similar uses	125	50	50	63	63	2.3	1.1	1.6	2.3	1.6	1.3
TOTALS				63	63	3	2	2	3	2	2	0
												1 service sink

MEP ENGINEERS:

18022395 JOHNSON DR. STE 180, WAUKESHA, WI 53186
262.549.1190
262.549.1620

ARCHITECT:

13100 watertown plank road
suite 200
elm grove, wi 53122
p 262.641.0746
f 888.600.6207

Drawing Title
General Fire and Life Safety and Drawing Symbols

Approved: Project Director

Project Title
William S. Middleton Memorial Veterans Hospital Ground Floor Renovation

Location
Madison, WI

Date
September 1, 2011

Checked
SAM

Drawn
TDL

Project Number
607-11-109
Building Number
1


Drawing Number

G101
2


Office of Construction and Facilities Management

100% BID DOCUMENTS

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



E1 FLOOR PLAN - DEMOLITION
1/8" = 1'-0"
0 3' 6' 12' 18'
PLAN NORTH



C6 FLOOR PLAN - DEMOLITION
1/8" = 1'-0"
0 3' 6' 12' 18'
PLAN NORTH

DEMOLITION SYMBOLS LEGEND:

- EXISTING WALL CONSTRUCTION
- EXISTING ELEMENT TO BE REMOVED
- DEMOLITION PLAN NOTE

GENERAL DEMOLITION NOTES:

REMOVE ALL APPLIED WALL FINISHES SUCH AS WALL COVERING AND BASE AT ALL INTERIOR AND EXTERIOR WALLS. PATCH HOLES WHERE PERPENDICULAR WALLS AND CASWORK HAVE BEEN REMOVED FROM CONNECTING WALLS TO REMAIN. PREPARE NEW AND EXISTING SUBSTRATE TO RECEIVE NEW FINISHES PER SCHEDULE.

REPAIR ANY EXISTING WALLS TO REMAIN DAMAGED BY DEMOLITION OR NEW CONSTRUCTION AND PAINT OR FINISH FULL HEIGHT OF EXPOSED WALL SURFACE NEAREST CORNER TO NEAREST CORNER TO MATCH EXISTING CONDITION PRIOR TO DAMAGE.

REMOVE ALL WALL, CEILING, AND FLOOR MOUNTED ACCESSORIES WHICH THE OWNER MAY HAVE NOT REMOVED, AND VERIFY WITH OWNER THEIR SALVAGE. PATCH/REPAIR WALLS THAT ARE TO REMAIN WHERE ITEMS WERE ANCHORED.

REMOVE ALL CORNER GUARDS AND CLIPS AT COLUMNS OR CORNERS WHERE FURRING REMAINS. PATCH AND REPAIR SUBSTRATE TO RECEIVE NEW FINISH OR NEW 4'-0" HIGH CORNER GUARD.

COORDINATE WITH M/E/P DRAWINGS FOR ADDITIONAL DEMOLITION IN FLOORS, WALLS AND ROOFS & RELATED ITEMS AS REQUIRED TO ACCOMMODATE NEW CONSTRUCTION OR UTILITIES ON THESE FLOORS OR RELATED ADJACENT FLOORS. PATCH/REPAIR BY EACH RESPECTIVE DISCIPLINE. COORDINATE DEMOLITION WITH OTHER DISCIPLINES. HOLES/PENETRATIONS IN RATED WALLS CREATED WHEN DEMOLITION OCCURS ARE TO BE FILLED TO MATCH THE EXISTING RATED CONDITION OR BETTER.

WHERE CERAMIC TILE FLOORING OR TERRAZZO FLOOR AND BASE ARE REMOVED, PROVIDE FLOOR LEVELING AS REQUIRED TO CREATE A LEVEL FLOOR SURFACE WITH THE FLOORS THAT ARE TO REMAIN. PREPARE NEW SURFACE TO RECEIVE NEW FINISHES.

WHERE EXISTING WALL IS REMOVED, PROVIDE FLOOR LEVELING AS REQUIRED TO CREATE A LEVEL FLOOR SURFACE WITH THE FLOOR LEVELS AT EACH SIDE OF THE DEMO-ED WALL LOCATION. PREPARE NEW SURFACE TO RECEIVE NEW FINISHES.

DURING DEMOLITION AND CONSTRUCTION PHASES, MAINTAIN ALL REQUIRED EXISTING WALL RATINGS AT WALLS TO REMAIN, AS ARE INDICATED ON DRAWINGS.

CORE-DRILLING/INTERRUPTIONS ARE TO BE COORDINATED WITH VA. EFFORTS WILL BE MADE TO ACCOMMODATE PATIENT/STAFF USAGE OF AREAS DIRECTLY ABOVE, BELOW, OR ADJACENT DEMOLITION. LONG-TERM WORK TO BE COORDINATED WITH THE HOSPITAL.


CONTRACTOR TO MAINTAIN 5'-0" CLEAR MINIMUM AT CORRIDORS ACCESSIBLE TO STAFF, PATIENTS OR THE PUBLIC.

CONTRACTOR TO COORDINATE WORK WITH HOURS OF SERVICE OPERATION, INCLUDING HAZARDOUS MATERIAL ABATEMENT.

FURNITURE, NOT INCLUDING FLOOR AND WALL MOUNTED ITEMS, AND STAFF ITEMS WILL BE REMOVED BY OWNER PRIOR TO START OF DEMOLITION PHASE.




DEMOLITION NOTES:

- SAWCUT EXISTING CONCRETE FLOOR SLAB FOR NEW UNDERSLAB PLUMBING LINE ROUTE. SEE PLUMBING DRAWINGS AND ENLARGED PLANS ON SHEET A-401. INFILL EXISTING SLAB WITH POURED CONCRETE AS PER SPECIFICATION SECTION 03 30 53. NOTE: FINISH FLOORS SHALL SLOPE TO DRAIN MINIMUM 1/8" PER FT.
- REMOVE EXISTING HOLLOW METAL DOOR AND FRAME.
- PROVIDE OPENING IN EXISTING WALL PARTITION FOR NEW DOOR AND FRAME.
- SAWCUT EXISTING CONCRETE FLOOR SLAB FOR NEW UNDERSLAB ELECTRICAL AND DATA CONDUIT, PULLSTRINGS AND FLUSH MOUNT FLOORBOX, SEE ELECTRICAL PLANS AND SPECIFICATIONS.




KEY PLAN


100% BID DOCUMENTS

MEP ENGINEERS:  18 W223.95 JOHNSON DR. STE 180 262.549.1190 WAUKESHA, WI 53186		ARCHITECT: 13100 watertown plank road suite 200 elm grove, wi 53122 p 262.641.0746 f 888.600.6207 		Drawing Title Floor Plan - Demolition and Notes	Project Title William S. Middleton Memorial Veterans Hospital Ground Floor Renovation	Project Number 607-11-109	Office of Construction and Facilities Management 
Revisions:		Date		Approved: Project Director	Location Madison, WI	Building Number 1	
					Date September 1, 2011	Checked SAM	
						Drawn TDL	Drawing Number A-100

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



E1 FLOOR PLAN - RENOVATION
1/8" = 1'-0"
PLAN NORTH



C6 FLOOR PLAN - RENOVATION
1/8" = 1'-0"
PLAN NORTH

GENERAL NOTES:

- EXISTING BUILDING PLANS HAVE BEEN SHOWN ACCORDING TO ORIGINAL BUILDING PLANS AND FIELD NOTES AND MEASUREMENTS. EXISTING CONDITIONS AND DIMENSIONS SHALL BE FIELD VERIFIED BY CONTRACTORS AND DISCREPANCIES REPORTED TO THE ARCHITECT PRIOR TO FRAMING.
- EXISTING WALLS, PARTITIONS, FLOOR LINES AND DOORS AND FRAMES THAT REMAIN ARE SHOWN IN CONTINUOUS LINE WEIGHT. THESE AND EXISTING FLOOR AND WALL FINISHES THAT ARE SCHEDULED TO REMAIN SHALL BE PROTECTED FROM DAMAGE DURING DEMOLITION AND CONSTRUCTION. ANY SUCH EXISTING CONDITIONS WHICH ARE DAMAGED OR BECOME UNSTABLE DUE TO OTHER DEMOLITION SHALL BE REPLACED AT NO COST TO OWNER WITH NEW CONSTRUCTION TO MATCH.
- GC SHALL PROVIDE AND MAINTAIN APPROPRIATE BARRICADES AND SAFETY MEASURES IN AREAS OF CONSTRUCTION AT ALL TIMES.
- ALL CUTTING AND PATCHING SHALL BE THE RESPONSIBILITY OF EACH SUBCONTRACTOR UNLESS OTHERWISE STIPULATED BY OR ARRANGED WITH THE GC.
- ALL EXISTING WALLS, PATCH FLUSH TO REPAIR EXISTING HOLES, DAMAGED AREAS AND WHERE WALLS WERE PREVIOUSLY REMOVED, OR UTILITY MODIFICATIONS WERE PERFORMED. PROVIDE NEW FINISHES PER SCHEDULE.
- ALL WALL TYPES TO BE TYPE "A" UNLESS NOTED OTHERWISE BY SYMBOL OR NOTE.
- PROVIDE CORNER GUARDS AT ALL OUTSIDE CORNERS AND END WALLS, SEE DETAIL ON SHEET A-501.
- PROVIDE GYPSUM BOARD CONTROL JOINTS AT ALL LOCATIONS WHERE NEW WALL SURFACE MEETS EXISTING TO REMAIN, SEE SHEET A-501.
- ALL DIMENSIONS ARE TO FACE OF STUD AT NEW WALL CONSTRUCTION OR FACE OF EXISTING WALL SURFACE TO REMAIN UNLESS NOTED OTHERWISE.
- ALL DIMENSIONS NOTED TO BE VERIFIED SHALL BE VERIFIED ON SITE BY THE CONTRACTOR AND REPORTED TO THE ARCHITECT FOR CONFIRMATION PRIOR TO FRAMING OF WALLS.
- DIMENSIONS NOTED AS CLEAR OR CL'R ARE FINAL FINISHED WALL SURFACE TO FINAL FINISHED WALL SURFACE, SEE FINISH SCHEDULE AND VERIFY FINAL FINISH OF WALL PRIOR TO FRAMING.

WALL TYPES:

SEE SHEET A-501 FOR MORE DETAILED INFORMATION

- WALL TYPE A:**
3 5/8" METAL STUDS @ 16" O.C. WITH 3" SOUND ATTENUATION BATTS IN WALL CAVITY AND 1 LAYER 5/8" GYP. BD. ON BOTH SIDES OF WALL. HEIGHT CONTINUOUS FROM FINISHED FLOOR TO DECK ABOVE, TYP.
- WALL TYPE B:**
2 1/2" METAL STUDS @ 16" O.C. WITH 1 LAYER 5/8" GYP. BD. ON FINISHED ROOM SIDE OF WALL. HEIGHT CONTINUOUS FROM FINISHED FLOOR TO DECK ABOVE, TYP.

PLAN NOTES:

- PROVIDE NEW FLOOR DRAIN AS REQUIRED PER MEP DRAWINGS. CONCRETE SLAB SHALL SLOPE TO DRAIN. REFER TO MEP DRAWINGS AND SPECIFICATIONS FOR FURTHER INFORMATION ON DRAIN AND REQUIRED BELOW SLAB PIPING.
- PROVIDE NEW DRINKING FOUNTAIN AS REQUIRED PER MEP DRAWINGS. REFER TO MEP DRAWINGS AND SPECIFICATIONS FOR FURTHER INFORMATION ON EQUIPMENT AND REQUIRED BELOW SLAB PIPING.
- EXISTING PIPES TO REMAIN. FURR-OUT WITH WALL TYPE B.
- EXISTING STEEL POST TO REMAIN. FURR-OUT WITH WALL TYPE B.
- LOW HEIGHT PARTITION. REFER TO DETAIL B5,B6/A-501.
- EXISTING DOORS & FRAME TO REMAIN. PROVIDE NEW MAGNETIC LOCK WITH HOLD OPEN TIED INTO FIRE SUPPRESSION SYSTEM. PAINT DOOR AND FRAME PT-4.
- EXISTING DOOR & FRAME TO REMAIN. PAINT PT-4.
- ALIGN NEW FINISHED SURFACE OF NEW WALL WITH FINISHED SURFACE OF EXISTING CONSTRUCTION TO REMAIN.
- NEW FIRE EXTINGUISHER CABINET. MATCH EXISTING.
- EXISTING FIRE EXTINGUISHER CABINET TO REMAIN.
- FURR OUT AROUND NEW PLUMBING LINES WITH WALL TYPE B, SEE PLUMBING PLAN.


FLOOR PLAN SYMBOLS LEGEND:























- EXISTING WALL CONSTRUCTION
- CENTER LINE
- CENTER LINE INDICATOR
- CONTRACT LIMIT LINE
- DEMOLITION LINE
- EXISTING TO REMAIN LINE
- FEATURES ABOVE LINE INDICATOR
- FIRE RESISTIVE RATED LINE, 1 HOUR
- FIRE RESISTIVE RATED LINE, 2 HOUR
- FIRE RESISTIVE RATED LINE, 3 HOUR
- FIRE RESISTIVE RATED LINE, 4 HOUR
- FIRE-RATED, SMOKE BARRIER LINE, 1 HOUR
- FIRE-RATED, SMOKE BARRIER LINE, 2 HOUR
- FIRE-RATED, SMOKE BARRIER LINE, 3 HOUR
- FIRE-RATED, SMOKE BARRIER LINE, 4 HOUR
- BREAK, STRAIGHT (SEE SECTION INDICATORS, BUILDING, WITH BREAK STANDARDS)
- DETAIL INDICATOR
- DETAIL INDICATOR FOR SMALL CONDITIONS
- DIMENSION LINE
- DOOR OPENING/BORROWED LIGHT IDENTIFIER
- ELEVATION INDICATOR, INTERIOR, MULTIPLE VIEW
- ELEVATION INDICATOR, INTERIOR, SINGLE VIEW
- BUILDING SECTION INDICATOR
- FURNITURE, FIXTURE, & EQUIPMENT INDICATOR
- ROOM NAME AND NUMBER
- KEYNOTE
- WALL OR PARTITION TYPE
- FIRE EXTINGUISHER CABINET
- CORNER GUARD
- NORTH ARROW
- V V ITEM - VA SUPPLIED & INSTALLED
- VC ITEM - VA SUPPLIED & CONTRACTOR INSTALLED
- CC ITEM - CONTRACTOR SUPPLIED & INSTALLED

KEY PLAN

100% BID DOCUMENTS

MEP ENGINEERS: 1622395 JOHNSON DR. STE 180 262.549.1190 WAUKESHA, WI 53186 1x 262.549.1620		ARCHITECT: 13100 watertown plank road suite 200 elm grove, wi 53122 p 262.641.0746 f 888.600.6207 		Drawing Title Floor Plan - Renovation and Notes	Project Title William S. Middleton Memorial Veterans Hospital Ground Floor Renovation	Project Number 607-11-109 Building Number 1	Office of Construction and Facilities Management
Revisions:	Date			Approved: Project Director	Location Madison, WI	Drawing Number A-101	
					Date September 1, 2011	Checked SAM	Drawn PS




- | | |
|---|--|
|  | 2'-0" x 4'-0" SUSPENDED EXPOSED GRID ACOUSTIC CEILING TILE |
|  | 2'-0" x 2'-0" SUSPENDED EXPOSED GRID ACOUSTIC CEILING TILE |
|  | RETURN, TRANSFER, EXHAUST GRILLE |
|  | SUPPLY GRILLE |
|  | CASSETTE FAN COIL UNIT |
|  | WALL-MOUNTED GRILLE |
|  | SLOT DIFFUSER |
|  | 2 x 2 FLUORESCENT LIGHT |
|  | 2 x 4 FLUORESCENT LIGHT |
|  | 1 x 4 FLUORESCENT LIGHT |
|  | SURFACE MOUNTED FLUORESCENT LIGHT |
|  | SURFACE MOUNTED LIGHT |
|  | RECESSED DOWN LIGHT |
|  | EXIT LIGHT |
|  | WALL MOUNTED EXIT LIGHT |
|  | GYPSUM BOARD CEILING FINISH OR BULKHEAD |
|  | REFLECTED CEILING PLAN NOTE |
|  | CEILING HEIGHT A.F.F. |
|  | OCCUPANCY SENSOR |
|  | DAYLIGHT SENSOR |
|  | SPRINKLER HEAD |
|  | 18" x 18" ACCESS PANEL |

1. PERIMETER TILES SHALL NOT BE LESS THAN 4"
2. REMOVE EXISTING CEILING SYSTEM WHERE NEW WALLS PENETRATE EXISTING CEILING SYSTEMS TO REMAIN. PATCH TO MATCH EXISTING CEILING SYSTEM TO NEW WALL.
3. LOCATE ALL SPRINKLER HEADS, AUDIO SPEAKERS, SMOKE DETECTORS, HEAT SENSORS IN THE CENTER OF THE CEILING TILE (OR IN THE CENTER OF THE RAISED /RECESSED FIELD OF A PATTERNED TILE).
4. ALL CEILINGS TO BE AT 8'-0" UNLESS NOTED OTHERWISE.
5. REFER TO RELEVANT MEP DRAWINGS FOR MORE INFORMATION.


- 1 ROOM EXPOSED TO EXISTING STRUCTURE ABOVE



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--




E1 FLOOR PLAN - FURNITURE FIXTURES AND EQUIPMENT
1/8" = 1'-0" PLAN NORTH




C6 FLOOR PLAN - FURNITURE FIXTURES AND EQUIPMENT
1/8" = 1'-0" PLAN NORTH

GENERAL FURNITURE NOTES:
1. FURNITURE IS OWNER PROVIDED AND OWNER INSTALLED AND IS SHOWN FOR REFERENCE ONLY.




KEY PLAN 100% BID DOCUMENTS

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--




B1
A201 **B306 WO**
SCALE: 3/8" = 1'-0"




C2
A201


B321 REC
SCALE: 3/8" = 1'-0"



B6
A201 **B319 ME**
SCALE: 3/8" = 1'-0"




B6
A201 **B319 ME**
SCALE: 3/8" = 1'-0"



B6
A201 **B319 ME**
SCALE: 3/8" = 1'-0"




B313-C P
SCALE: 3/8" = 1'-0"




C2
A201

B321 REC
SCALE: 3/8" = 1'-0"



NOTE: ALL BASE CABINETS, UPPER CABINETS AND COUNTERTOPS IN THIS ELEVATION TO BE PRICED AS ALTERNATE#1




B310 OPI
SCALE: 3/8" = 1'-0"



B325 EMS
SCALE: 3/8" = 1'-0"



B310-D W
SCALE: 3/8" = 1'-0"




E2
A201


B311 WA
SCALE: 3/8" = 1'-0"




E3
A201 **B306 WO**
SCALE: 3/8" = 1'-0"



E6
A201 **B311-**
SCALE: 3/8"



F1
A201 **B80-A OF**
SCALE: 3/8" = 1'-0"

VA FORM 08-6231

IBC
ENGINEERING
SERVICES INC.

N8 W22195 JOHNSON DR, STE 180 262.549.119
WAUKESHA, WI 53186 fx 262.549.162

13100 watertown plank road
suite 200
elm grove, wi 53122

p 262.641.0746
f 888.600.6207



nagel
architects

Approved: Project Director

	Location
	Madison, W

Date
September 1, 2011


	Drawing Number

A-201


Office of
Construction
and Facilities
Management




100% BID DOCUMENTS



B1 ENLARGED TOILET ROOM PLAN B319
3/8" = 1'-0"




B3 ENLARGED TOILET ROOM PLAN B306
3/8" = 1'-0"




B5 ENLARGED PLAN ROOM B301
3/8" = 1'-0"

TYPICAL MOUNTING HEIGHTS (N.T.S.)




TOILET ACCESSORY LEGEND


- BC BABY CHANGING STATION
 - FSD FLOOR SOAP DISPENSER
 - GB1 42" HORIZONTAL GRAB BAR
 - GB2 18" VERTICAL GRAB BAR
 - GB3 36" HORIZONTAL GRAB BAR
 - MOP MOP HOLDER
 - MR MIRROR
 - MS MOP SINK
 - ND SANITARY NAPKIN DISPOSAL
 - NDSP SANITARY NAPKIN DISPENSER
 - PT PAPER TOWEL DISPENSER*
 - SCD SEAT COVER DISPENSER
 - SD SOAP DISPENSER
 - TP TOILET PAPER DISPENSER**
 - WR WASTE RECEPTACLE*
- * = GOVERNMENT SUPPLIED, CONTRACTOR INSTALLED. ALL OTHER ACCESSORIES TO BE PROVIDED AND INSTALLED UNDER THIS CONTRACT.
 ** = GOVERNMENT SUPPLIED, GOVERNMENT INSTALLED. ALL OTHER ACCESSORIES TO BE PROVIDED AND INSTALLED UNDER THIS CONTRACT.




F2 CASEWORK DETAIL
1" = 1'-0"




F4 CASEWORK DETAIL
1" = 1'-0"




F5 CASEWORK DETAIL
1" = 1'-0"



F6 CASEWORK DETAIL
1" = 1'-0"



F8 CASEWORK DETAIL
1" = 1'-0"




F9 CASEWORK DETAIL
1" = 1'-0"

100% BID DOCUMENTS

<p>Revisions:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> <tr><td style="width: 50px; height: 20px;"></td><td style="width: 50px; height: 20px;"></td></tr> </table>																					<p>MEP ENGINEERS:</p> <div style="text-align: center;"> <p>IBC ENGINEERING SERVICES INC.</p> <p>NR W22395 JOHNSON DR. STE 180 262.549.1190 WAUKESHA, WI 53186 262.549.1620</p> </div>	<p>ARCHITECT:</p> <div style="text-align: center;"> <p>13100 watertown plank road suite 200 elm grove, wi 53122</p> <p>p 262.641.0746 f 888.600.6207</p> </div>	<p>Drawing Title Large Scale Plans Plan Details</p> <p>Approved: Project Director</p>	<p>Project Title William S. Middleton Memorial Veterans Hospital Ground Floor Renovation</p> <p>Location Madison, WI</p> <p>Date September 1, 2011</p>	<p>Project Number 607-11-109</p> <p>Building Number 1</p> <p>Drawing Number A-401</p>	<p>Office of Construction and Facilities Management</p> <p> Department of Veterans Affairs</p>

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



MEP ENGINEERS: 18122395 JOHNSON DR. STE 180 262.549.1190 WAUKESHA, WI 53186		ARCHITECT: 13100 watertown plank road suite 200 elm grove, wi 53122 p 262.641.0746 f 888.600.6207 		Drawing Title Details Approved: Project Director		Project Title William S. Middleton Memorial Veterans Hospital Ground Floor Renovation Location Madison, WI		Project Number 607-11-109 Building Number 1 Drawing Number A-501		Office of Construction and Facilities Management 	
Revisions:		Date		Checked SAM		Drawn TDL		Date September 1, 2011			

DOOR SCHEDULE

DOOR SCHEDULE																				
Door No.	Room Name	SIZE				DOOR				FRAME				DETAILS				Hardware	Fire Rated Assembly	COMMENTS
		Width	Height	Thickness	Type	Material	Glass	Fin.	Type	Material	Width	Fin.	Stil	Jamb	Head					
B300	STORAGE (LIFT)	PR 3'-0"	7'-0"	1 3/4"	D1	HM	-	PA-2	F2	HM	-	PA-2	-	-	-	1	-	-	-	-
B301	JANITOR'S CLOSET	3'-6"	7'-0"	1 3/4"	D1	HM	-	PA-2	F3	HM	-	PA-2	-	-	-	2	-	-	-	-
B303	STORAGE	EXIST	EXIST	EXIST	EXIST					EXIST		PA-2	-	-	-	-	-	-	-	-
B305	OFFICE (UTILIZATION MGMT)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	7	-	-	-	-
B306	WOMEN'S RESTROOM	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	4	-	-	-	-
B307	OFFICE (PAYROLL)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F1	HM	-	PA-2	-	-	-	8	-	-	-	-
B307-A	WORK ROOM (PAYROLL)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	5	-	-	-	-
B309	VESTIBULE	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	6	-	-	-	-
B310	OPEN OFFICE (LOGISTICS)	3'-6"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	8	-	-	-	-
B310-A	CONFERENCE (LOGISTICS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B310-B	OFFICE (LOGISTICS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B311	WAITING (EDUCATION)	3'-6"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	7	-	-	-	-
B311-A	OFFICE (EDUCATION)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	12	-	-	-	-
B311-B	OFFICE (EDUCATION)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	5	-	-	-	-
B311-D	OFFICE (EDUCATION)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F3	HM	-	PA-2	-	-	-	3	-	-	-	-
B311-E	OFFICE (EDUCATION)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F3	HM	-	PA-2	-	-	-	3	-	-	-	-
B311-F	OFFICE (EDUCATION)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B311-H	OFFICE (EDUCATION)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B313	OPEN OFFICE (FISCAL/DSS)	3'-6"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	8	-	-	-	-
B313-A	OFFICE (FISCAL/DSS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B313-B	OFFICE (FISCAL/DSS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B313-D	OFFICE (FISCAL/DSS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	5	-	-	-	-
B313-E	OFFICE (FISCAL/DSS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B315	EDUCATION STORAGE	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	10	-	-	-	-
B317	CONFERENCE	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	9	-	-	-	-
B319	MEN'S RESTROOM	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	11	-	-	-	-
B321	RECEPTION (ESS)	3'-6"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	8	-	-	-	-
B321-A	OFFICE (ESS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B321-C	OFFICE (ESS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B323	OFFICE	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	7	-	-	-	-
B325	OFFICE (EMS)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	7	-	-	-	-
B79	OFFICE (CONTRACTING)	EXISTING TO REMAIN																		
B80	RECEPTION (HR)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F1	HM	-	PA-2	-	-	-	8	-	-	-	-
B80-B	WORK ROOM (HR)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B80-C	OFFICE (HR)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B80-D	OFFICE (HR)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B80-E	OFFICE (HR)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B80-F	OFFICE (HR)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-
B80-G	OFFICE (HR)	3'-0"	7'-0"	1 3/4"	D1	WOOD	-	STN	F2	HM	-	PA-2	-	-	-	3	-	-	-	-




DOOR SCHEDULE NOTES

GENERAL NOTES

- ALL WOOD DOORS TO BE FLAT PANEL WITH CLEAR PENETRATING SATIN STAIN
- SEE SPECIFICATIONS FOR HARDWARE GROUPS

NOTE: SEE SPECIFICATIONS FOR ROOM FINISH SCHEDULE

100% BID DOCUMENTS

<div>Revisions:</div> <div>Date</div>	<div>MEP ENGINEERS:</div> <div><div>IBC ENGINEERING SERVICES INC. N6 W22395 JOHNSON DR, STE 180 WAUKESHA, WI 53186 262.549.1190 f 888.600.6207</div></div>	<div>ARCHITECT:</div> <div><div>13100 watertown plank road suite 200 elm grove, wi 53122</div><div></div></div>	<div>Drawing Title</div> <div>Project 1 Door and Room Finish Schedules, Notes</div> <div>Approved: Project Director</div>	<div>Project Title</div> <div>William S. Middleton Memorial Veterans Hospital Ground Floor Renovation</div> <div>Location</div> <div>Madison, WI</div> <div>Date</div> <div>September 1, 2011</div>	<div>Project Number</div> <div>607-11-109</div> <div>Building Number</div> <div>1</div> <div>Drawing Number</div> <div>A-601</div> <div>Checked</div> <div>SAM</div> <div>Drawn</div> <div>PS</div>	<div>Office of Construction and Facilities Management</div> <div> Department of Veterans Affairs</div>
---------------------------------------	---	--	---	---	---	---